

	L #	Hits	Search Text	DBs
1	L1	80506	(select\$3 or choos\$3 or chos\$3) with (server or destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	L2	756220	accumulat\$3 or reassembl\$3 or reconstruct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	L3	13804	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	L4	9809	2 with (file or document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	L5	1364	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	L6	36291	2 with (reference or ID or identif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	L7	332	5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	L8	110	7 and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	L9	13073	indirect\$3 with (reference or ID or identif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
read (10)	L10	14	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	L11	51764	notif\$8 near8 (recipient or receiver or client or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	25	11 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
read (13)	L13	23	12 not 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	L14	22115	large near5 (document or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	L15	1257	(transmit\$4 or send\$3) with 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	L16	97804	(document or file) near5 (ID or identif\$8 or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	L17	642	15 and 16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	L18	21321	(collect\$4 or break\$3) near8 (document or file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	L19	192	17 and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	L20	39	4 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
read (21)	L21	13	20 and @ad<"20001024"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	L22	1532	fragment near5 (file or document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

read

	L #	Hits	Search Text	DBs
(23)	L23	18	17 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

? show files

File 15:ABI/Inform(R) 1971-2005/Jun 13  
(c) 2005 ProQuest Info&Learning  
File 16:Gale Group PROMT(R) 1990-2005/Jun 13  
(c) 2005 The Gale Group  
File 148:Gale Group Trade & Industry DB 1976-2005/Jun 13  
(c)2005 The Gale Group  
File 160:Gale Group PROMT(R) 1972-1989  
(c) 1999 The Gale Group  
File 275:Gale Group Computer DB(TM) 1983-2005/Jun 13  
(c) 2005 The Gale Group  
File 621:Gale Group New Prod.Annou.(R) 1985-2005/Jun 13  
(c) 2005 The Gale Group  
File 9:Business & Industry(R) Jul/1994-2005/Jun 13  
(c) 2005 The Gale Group  
File 20:Dialog Global Reporter 1997-2005/Jun 13  
(c) 2005 The Dialog Corp.  
File 476:Financial Times Fulltext 1982-2005/Jun 13  
(c) 2005 Financial Times Ltd  
File 610:Business Wire 1999-2005/Jun 13  
(c) 2005 Business Wire.  
File 613:PR Newswire 1999-2005/Jun 13  
(c) 2005 PR Newswire Association Inc  
File 624:McGraw-Hill Publications 1985-2005/Jun 10  
(c) 2005 McGraw-Hill Co. Inc  
File 634:San Jose Mercury Jun 1985-2005/Jun 11  
(c) 2005 San Jose Mercury News  
File 636:Gale Group Newsletter DB(TM) 1987-2005/Jun 13  
(c) 2005 The Gale Group  
File 810:Business Wire 1986-1999/Feb 28  
(c) 1999 Business Wire  
File 813:PR Newswire 1987-1999/Apr 30  
(c) 1999 PR Newswire Association Inc  
File 2:INSPEC 1969-2005/Jun W1  
(c) 2005 Institution of Electrical Engineers  
File 35:Dissertation Abs Online 1861-2005/May  
(c) 2005 ProQuest Info&Learning  
File 65:Inside Conferences 1993-2005/Jun W2  
(c) 2005 BLDSC all rts. reserv.  
File 99:Wilson Appl. Sci & Tech Abs 1983-2005/May  
(c) 2005 The HW Wilson Co.  
File 256:TecInfoSource 82-2005/Apr  
(c) 2005 Info.Sources Inc  
File 474:New York Times Abs 1969-2005/Jun 10  
(c) 2005 The New York Times  
File 475:Wall Street Journal Abs 1973-2005/Jun 10  
(c) 2005 The New York Times  
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13  
(c) 2002 The Gale Group

? ds

Set	Items	Description
S1	9934107	SELECT??? OR CHOOS??? OR CHOSE? ?
S2	106189	S1 (10N) (SERVER? ? OR DESTINAT???)
S3	7328173	FILE OR FILES OR DOCUMENT? ? OR MOVIE? ? OR SONG? ?
S4	1431702	ACCUMULAT???? OR REASSEMBL??? OR RECONSTRUCT???
S5	8572	S4 (10N) S3
S6	91	S2 AND S5
S7	3850371	REFERENCE? ? OR ID OR IDENTIFICATION? ? OR IDENTIFIER? ?
S8	42	S6 AND S7

<i>read</i>	S9	39	S8 AND PY<2002
	<u>S10</u>	32	RD (unique items)
	S11	13806691	LARGE OR BIG OR GIANT
	S12	137774	S3 (5N) S11
	S13	21036342	TRANSMIT????? OR SEND??? OR SENT OR DELIVER??? OR TRANSFER- ???? OR FORWARD???
	S14	19174	S12 (10N) S13
	S15	8010444	COLLECT???? OR BREAK??? OR FRAGMENT???
	S16	109106	S15 (8N) S3
	S17	723	S14 AND S16
	S18	67357	S3 (5N) S7
	S19	37	S17 AND S18
	S20	35	S19 AND PY<2002
<i>read</i>	<u>S21</u>	35	S20 NOT S10
	<u>S22</u>	26	RD (unique items)
	?		

? t s10/medium,k/1-32

**10/K/1 (Item 1 from file: 15)**

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

02224806 80622372

**The storage resource management secrets from the IT departments of major organizations**

Ferrarini, Elizabeth M

Computer Technology Review PP: 22-26 Second Quarter 2001

ISSN: 0278-9647 JRNL CODE: CTN

WORD COUNT: 2975

...TEXT: what they didn't need. Most of these employees weren't aware of the many **files** they had **accumulated** and how much space they were taking up. They willingly and quickly paired down their...on the file server, regardless of what directories the files were stored in. A user **identification** feature enabled us automatically to assign a 50MB quota for everyone at the root directory...

...we decided to carry out disk quota management, file reporting, and file blocking. Unfortunately, we **selected** an inferior product that caused our **servers** to crash, to reboot themselves automatically, or that filled the event log with numerous errors...

**10/K/2 (Item 2 from file: 15)**

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

01863931 05-14923

**Backup Exec eases media management**

Yager, Tom

InfoWorld v21n30 PP: 33 Jul 26, 1999

ISSN: 0199-6649 JRNL CODE: IFW

WORD COUNT: 1044

...TEXT: drives by hand. You add new tapes to your global pool by writing a short **ID** header to the tape and then dragging the tape's icon from the global pool...

...drives.

Backup Exec's various agents work simply and flawlessly. A system agent lets you **choose** which drives or paths to publish to the **server**. Those published drives appear in the Backup Exec management interface; just click in the system...

...Windows NT Agent Accelerator optimizes the traffic it creates. The accelerator takes Backup Exec's **file** selections and **accumulates** the data of multiple **files** into an efficient stream before sending them. Filemanagement overhead is eliminated, and one LAN can...

**10/K/3 (Item 3 from file: 15)**

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

01070150 97-19544

**Making order out of chaos**

Marshall, Patrick; Murdock, Michelle; Sercan, Ayse

InfoWorld v17n28 PP: 56-69 Jul 10, 1995

ISSN: 0199-6649 JRNL CODE: IFW

WORD COUNT: 11037

...TEXT: the amount of drive space required and available after you've installed your SQL database, **selected** your **server** drive, and specified the application numbers and passwords for each module you're installing. But...tools and a well-designed interface.

From an integrated application, users can search by document **ID** number or start a more complex search using QuickSearch. Any of the fields in the...

...matching files.

In addition to using Smart Folders, users can create private folders for storing **references** to documents. The original documents remain on the server, so other users with the appropriate...SoftSolutions offers a generally solid set of administrative tools, including utilities for verifying indexes and **reconstructing** them in case of corruption. As with Docs Open and **Document** Manager, you can distribute files across multiple servers (when the Server Enhancement Module [SEM] is...three ways: send a copy, send a copy and check it out, or send a **reference** .

\* Saros Document Manager 1.5

GOOD

Document Manager lacks any tools for routing documents, requiring...

...E-mail programs. Users of VIM- and MAPI-compliant E-mail systems can send others **references** to documents.

Because **references** to documents are sent instead of the documents themselves, demands on disk space and network...

...are held down. In addition, all security controls apply to anyone trying to access a **reference** . Administrators can allow users to send full documents as attachments to mail, depending on security...

...E-mail. SoftSolutions won't allow you to check out and send a document (or **reference** ) in a single action.

HOW WE TESTED

DOCUMENT MANAGEMENT programs include the capabilities of file...records who has checked out a document and what changes the users have made.

Document **reference** --A method of sending document management files over E-mail. When a recipient uses a **reference** to access a document, the document manager will be invoked, and the recipient will be...

10/K/4 (Item 4 from file: 15)  
DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00987433 96-36826

**No-fault insurance**

Anonymous

InfoWorld v17n9 PP: 66-80 Feb 27, 1995

ISSN: 0199-6649 JRNL CODE: IFW

WORD COUNT: 4023

...TEXT: the file to assess the damage. Using the parity data, the missing pieces of the **file** can be **reconstructed**. The data is then sent to the client that requested it and rewritten on the...from a table with 5 million records, writing the results into a file on the **server**. The remaining four clients **selected** various records from tables with 1 million to 5 million records and then inserted the...these were made via a cable or backplane board. Finally, we looked at the SCSI **ID** selector, noting its placement and style and evaluating how easy it was to reach and...

**10/K/5 (Item 5 from file: 15)**

DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00893791 95-43183

**A planner's guide to the Internet**

Zinn, Frank D; Hinojosa, Rene C

Journal of the American Planning Association v60n3 PP: 389-400 Summer 1994

ISSN: 0194-4363 JRNL CODE: AIP

WORD COUNT: 6084

...TEXT: of data, and a header specifying the addresses of origin and destination and a packet **identifier**. The packets then move through special hardware devices called routers, which are programmed to read...

...traffic. The packets may arrive at their destination out of order, but the receiving computer **reconstructs** the **file** using the sequence information included in the headers.

Internetworking protocol (IP) governs the addressing of packets. Each computer (or host) in the network is assigned a unique **identifier** called an IP address. The IP address, written as four integers separated by decimal points...sign") as follows:  
user(at)domain

where user is the user's login name, the **id**, or account number on a host computer or network, and domain is the Internet host...

...across Internet, Bitnet, Compuserve, MCI Mail, and Prodigy. (Table 1 omitted.) For a more complete **reference**, see the directory published by Frey and Adams (1993) or the Internetwork Mail Guide regularly...

...ftp ftp.acns.nwu.edu

The server opens the connection and requests the user's **identification** and password. Registered users can sign on with their login **identifier** and password. Servers frequently give non-registered users access by allowing them to log in...



...respond to server prompts as follows:

Name: anonymous (the prompt may alternatively call for user **id** )

Password: guest (sometimes e-mail address required as password)  
If accepted as a guest, the...typically with a Which Host? prompt). Once a connection is established, the login: or equivalent **identification** prompt typically appears, followed by a request for terminal emulation information. For instance, the following...

...city of Buffalo:

telnet feenet.buffalo.edu (initiates remote login with host)

login: feeport (user **id** for public service port)

TERM= vt100 (sets terminal emulation, if needed)

Once the session starts...accessible by first selecting the Network & Database Resources; then Internet Resources by Type; then WAIS **Servers** menu options. Searches are performed by **selecting** documents, and specifying key words. For example, **selecting** Internet-User-Glossary, and searching for Wide Area Information **Servers** will give a definition of WAIS. Aside from Gopher and WAIS servers, there is Mosaic...123 retrieves the file and gives it the name File.123 on the local computer.

#### REFERENCES

Abbott, Tony, ed. 1994. On Internet 94. Westport, CT: Meklermedia.

Badgett, Tom, and Corey Sandler...

10/K/6 (Item 6 from file: 15)

DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00791463 94-40855

#### Ten myths about CD-ROM

Beiser, Karl

Online v17n6 PP: 96-100 Nov 1993

ISSN: 0146-5422 JRNL CODE: ONL

WORD COUNT: 3042

...ABSTRACT: ROM will soon be fully displaced by high-speed wide area networks. 3. Soon, all **reference** databases will reside on online public catalogs and use the same software interface, obviating the...

...TEXT: online services to blaze the electronic trail from publishers to users.

MYTH #3: SOON, ALL **REFERENCE** DATABASES WILL RESIDE ON ONLINE PUBLIC CATALOGS (OPACS) AND USE THE SAME SOFTWARE INTERFACE, OBVIATING...draws processor cycles from servicing users and performing other essential background activities. Heavy use of **reference** databases will place greater demands on the system and bring substantially closer the day of...

...to maintain additional databases. Administrative complications can arise when the population for whom a given **reference** database is licensed is

narrower than the group that has access to the OPAC. Some...

...with server-based LANs like NetWare. Every computer can be both a workstation and a **server**, if the system administrator **chooses** to set things up that way.

Of course, if half a dozen other users are...

...ended right now. LANTastic from Artisoft, Inc., in particular is a terrific product for a **reference** department LAN. Anyone with some experience with DOS commands and software installation can get LANTastic... because it is less expensive than to provide them on diskettes. Moreover, large amounts of **reference** material can be included at no additional cost. Several firms have announced CD-ROM as...

...CD-ROM will become more important as an archival preservation tool. Institutional and corporate records, **accumulated** tape libraries of computer data **files**, collections of manuscripts and photographs are all grist for the high-resolution preservation mill. Only...

10/K/7 (Item 7 from file: 15)

DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00791454 94-40846

**Painless file extraction: The A(rc)-Z(oo) of Internet archive formats**

Simmonds, Curtis

Online v17n6 PP: 60-65 Nov 1993

ISSN: 0146-5422 JRNL CODE: ONL

WORD COUNT: 2964

...TEXT: unless you have proven psychic ability.

\* Always assign a descriptive filename to an archive for **identification** purposes, and if you rename an archive file, don't rename the file extension.

\* When...

...Cutter, are another useful utility. These address portability problems by enabling you to divide large **files** for transfer onto floppy disks, you then concatenate or **reassemble** them on a higher-capacity disk. There are a host of other utilities for browsing...Archive...", which locates an archive for decompression. Other buttons allow you to list individual files, **select** a **destination** for the extracted files, and strip linefeeds from text files.

One problem PC to Mac...

...an attractive option for budget-conscious information professionals who need access to cross-platform archives.

## REFERENCES

[1] Bookstein, Abraham and James A. Storer. "Data Compression." Information Processing and Management 28, No...

10/K/8 (Item 1 from file: 16)  
DIALOG(R) File 16:Gale Group PROMT(R)  
(c) 2005 The Gale Group. All rts. reserv.

06057253 Supplier Number: 54466899 (USE FORMAT 7 FOR FULLTEXT)

**SECTION 3: PREPRESS ELECTRONIC IMAGING.**

Printing Impressions, v41, n2, p148(1)

July, 1998

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 23908

... as well as input targets for 35mm transmissive targets are used as an absolute color **reference** . Packaged with FotoTune. Spectrally measured version of FotoReference for users wishing to purchase IT/8...

...instrumentation. Even measures newer high-density imagesetter films. Includes carrying case, battery charger and calibration **reference** .

Circle 942 on Info Card

Graphic Services

Amtec image reader (plate scanner) allows printers to...versatility, with toners available in process colors, high-strength colors, fluorescents, metallics and standard offset **reference** colors; can also be custom blended to match PANTONE colors.

Circle 968 on Info Card...images. Aisc scans preseparated films using SmartDOT, which scans the original screen dot-for-dot **Reconstructs** on-the-fly color EPS lowres **files** for use in layout applications. Max. scanning resolution: 5,260 dpi; max. line-art scanning...or better; 2,700K RAM.

Circle 879 on Info Card

ColorExpert

ColorExpert 1.1 productivity **reference** and training tool for companies doing professional color design and prepress on the Mac. QuickTime...

...smooth production. On CD-ROM with a proof-printed booklet.

ColorCourse series of interactive tutorial/ **reference** software for the Mac. ColorCourse/Photography focuses on digital enhancement and preparation of photographs for...fog and haze that react to light intensity and color.

Poser 3: a human figure **reference** and animation tool for 2D and 3D digital artists. From a built-in collection of 3D human and animal figures, artists and designers can create any posed figure as a **reference** guide for final content in 2D or 3D still images, or quickly animate figures for ...PostScript-based workflows. Enables the seamless integration of leading prepress software tools within a powerful **server** environment. Users add functionality by **choosing** software modules most appropriate for their applications and workflow. Provides greater productivity, the ability to... a Context prepress system. Automatically registers files to the database, creates thumbnail representations for easy **identification** , and manages the image archive and backup. Imports and exports job specifications from existing MIS...

...Products

Creo Server family offers printers expandability and choice for proofing, scheduling and archiving. Creo **Servers** , available on DEC Alpha and Intel platforms, allow printers to **select** and upgrade processors,

memory and mass storage as dictated by workflow requirements.

TrendServer: plate proofing...

19980701

10/K/9 (Item 2 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)

(c) 2005 The Gale Group. All rts. reserv.

05988291 Supplier Number: 53351478 (USE FORMAT 7 FOR FULLTEXT)

**LOST IN COLOR SPACE.**

Waggoner, Ben

Interactivity, p31(1)

Dec, 1998

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 7193

... although high-end prepress people sometimes find it insufficient.

Occasionally, you might come across a **reference** to 32-bit video. This is 24-bit RGR plus an 8-bit alpha channel...apply After Effects filters, and then go back to Media 100 for output, inevitably your **file** undergoes conversion from YUV to RGB and back again, **accumulating** quant errors along the way They're no worse than they would be using other...can.

Using Appel's MakeRefMovie or a similar tool, just apply the ColorSync filter. You **choose** a Source Profile and a **Destination** Profile. **Destination** Profile almost always should be CURRENT MONITOR -- with this **selection**, ColorSync adapts the image to the current environment. Theoretically, your Source Profile should be the...

19981201

10/K/10 (Item 3 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)

(c) 2005 The Gale Group. All rts. reserv.

05954317 Supplier Number: 53220637 (USE FORMAT 7 FOR FULLTEXT)

**Site Management: Content Analyzers Trip the Link Fantastic.(Software Review)(Evaluation)**

Yerxa, Gregory

Network Computing, p93(1)

Nov 15, 1998

Language: English Record Type: Fulltext

Article Type: Evaluation

Document Type: Magazine/Journal; Trade

Word Count: 2814

(USE FORMAT 7 FOR FULLTEXT)

TEXT:

...to say, and the same holds true for statistics about Web sites. Oodles of information **accumulate** daily in log **files** and hit counters; how you put that information to use depends on how you choose...

... with its suggestions and its report format.

Linkbot Pro had a hard time with the **reference** system configuration, but it performed faster than WebTrends, Astra SiteManager, Site Server and WebChallenger on...

...the children of the highlighted link, and a browser window all show

information about the **selected** URL. Site **Server** 's main application interface makes more information immediately available to the administrator than that of...format and is quite large. Information is scattered across one Web page using tables and **reference** links. Unlike WebTrends and Linkbot Pro, which use frames for easy navigation of the report, WebChallenger uses **reference** tags and one frame. The interface as a whole is rather cluttered and, at times...

...Gregory Yerxa at gyerxa@nwc.com.

SIDEBAR: How We Tested

Our test environment included a **reference** Microsoft Windows NT Server 4.0 running on a Micron Millenia Pro2 Pentium Pro 200...

19981115

10/K/11 (Item 4 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)

(c) 2005 The Gale Group. All rts. reserv.

03129776 Supplier Number: 44270357 (USE FORMAT 7 FOR FULLTEXT)

**Faxing on the Network: Does Automatic Beat Manual?**

Network Computing, p128

Dec, 1993

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 1987

... products: Cardiff Software's Teleform, Alcom's Lan-Fax Redirector and GammaLink's GammaFax fax **server** board. Although these are the products we **chose** to evaluate for our particular needs, there are other products that can do the job...whether typed or handwritten - to be a minimum size, allowing a higher ratio of positive **identification** by its optical character recognition (OCR) software. Some administrators may see this as a problem...

...through the recognition process, you can export the data into most popular database and spreadsheet **files** for comparison, queries or **accumulation** . Although Teleform can export to a comma-delimited database format, we found that the process...

19931201

10/K/12 (Item 5 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)

(c) 2005 The Gale Group. All rts. reserv.

02609517 Supplier Number: 43468252 (USE FORMAT 7 FOR FULLTEXT)

**FIFTH GENERATION SYSTEMS INTRODUCES UNTOUCHABLE NETWORK NLM**

News Release, p1

Nov 23, 1992

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 1306

... caused modifications made to files.

If a virus is detected, Untouchable uses the database of **file**

signature information as **reference** to **reconstruct** infected **files** to their former, "healthy" state. Since the removal methodology does not rely on known virus... known virus scanning of the file server. Untouchable's menu-driven screens make unattended file **server** scheduling easy. The administrator simply **chooses** the day of the week, enters the desired scan time, and **selects** the type of scan to perform on the file **server** .

When Untouchable finds an event that must be handled, it will perform a set of...

19921123

10/K/13 (Item 1 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

13661879 SUPPLIER NUMBER: 76699759 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Work paper technology provides link to the paperless office.**

Davis, Tom C.

Accounting Today, 15, 12, 24

July 2, 2001

ISSN: 1044-5714

LANGUAGE: English

RECORD TYPE: Fulltext

WORD COUNT: 4093

LINE COUNT: 00351

... by its users.

It is important that standards be developed that will promote the proper **identification** and storage of electronic documents. Then, firm members must be trained on the standards and...

...require re-review.

Other features can be used to create standardized work paper templates, transfer **documents** from the field back to the office, **accumulate** preparer and reviewer comments, and to lead firm members through complex engagement processes.

Here is...electronic information. With File Cabinet Solution, documents from almost any application can be stored by **selecting** it as the print **destination** . Each client has a folder created in the application in a folder-style interface. Users...

...to present trend and ratio analysis in an Excel-like formats, add custom work paper **references** and tick marks.

CSI's WriteUp solutions application transfers information directly to Trial Balance Solution...

...applications. Scanned documents can be inserted in Engagement Manager or paper documents can simply be **referenced** in the Engagement Manager index. You can then perform your work anywhere and even share...

20010702

10/K/14 (Item 2 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

10154353      SUPPLIER NUMBER: 18319083      (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Choosing CTI technology and software that meet your needs.**

**(computer-telephony integration)**

Bayless, Jeanne

Telemarketing & Call Center Solutions, v14, n9, p42(7)

March, 1996

LANGUAGE: English      RECORD TYPE: Fulltext

WORD COUNT: 5038      LINE COUNT: 00421

... cases, substantial time savings can be realized by automating activities such as:

- \* Updating the customer **file** with new information.
- \* Intelligently **accumulating**, processing, packaging and distributing fax, e-mail and paging "information packets" about the call.
- \* Pre...

...determined the target processes for CTI automation, record and time them so you have a **reference** point from which to measure performance improvements. Doing so will enable you to develop a...to display customer information is nominally telephony data such as that provided by automatic number **identification** (ANI -- the number the customer called from), dialed number **identification** service (DNIS -- the number called by the customer), or digits entered by the caller.

The...

...standards at the API level, you will always have a wide variety of desktop and **server**-based solutions to **choose** from. If one piece of the solution doesn't work out, you won't have...

19960300

10/K/15      (Item 3 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB

(c)2005 The Gale Group. All rts. reserv.

08001851      SUPPLIER NUMBER: 17240474      (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Document management software: making order out of chaos. (PC Docs' Docs**

**Open for Windows 2.5, SoftSolutions Technology's SoftSolutions 4.0a for Windows and Saros' Saros Document Manager 1.5) (includes related articles on test results, test methods and a glossary of terms) (Software Review) (Evaluation)**

Marshall, Patrick; Murdock, Michelle; Sercan, Ayse

InfoWorld, v17, n28, p56(10)

July 10, 1995

DOCUMENT TYPE: Evaluation      ISSN: 0199-6649      LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 13116      LINE COUNT: 01097

... the amount of drive space required and available after you've installed your SQL database, **selected** your **server** drive, and specified the application numbers and passwords for each module you're installing. But...tools and a well-designed interface.

From an integrated application, users can search by document **ID** number or start a more complex search using QuickSearch. Any of the fields in the...matching files.

In addition to using Smart Folders, users can create private folders for storing **references** to documents. The original documents remain on the

server, so other users with the appropriate...SoftSolutions offers a generally solid set of administrative tools, including utilities for verifying indexes and **reconstructing** them in case of corruption. As with Docs Open and **Document Manager**, you can distribute files across multiple servers (when the Server Enhancement Module SEM is...three ways: send a copy, send a copy and check it out, or send a **reference** .

Saros Document Manager 1.5: GOOD

Document Manager lacks any tools for routing documents, requiring...

...E-mail programs. Users of VIM- and MAPI-compliant E-mail systems can send others **references** to documents.

Because **references** to documents are sent instead of the documents themselves, demands on disk space and network...

...are held down. In addition, all security controls apply to anyone trying to access a **reference** .

Administrators can allow users to send full documents as attachments to mail, depending on security...

...E-mail. SoftSolutions won't allow you to check out and send a document (or **reference** ) in a single action.

...records who has checked out a document and what changes the users have made.

Document **reference** -- A method of sending document management files over E-mail. When a recipient uses a **reference** to access a document, the document manager will be invoked, and the recipient will be...

19950710

10/K/16 (Item 4 from file: 148)

DIALOG(R) File 148:Gale Group Trade & Industry DB

(c)2005 The Gale Group. All rts. reserv.

07979322 SUPPLIER NUMBER: 17212170 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Getting the Web server running may be the easiest part of setting up a site.(On Site)(Column)**

Strom, David

InfoWorld, v17, n27, p50(1)

July 3, 1995

DOCUMENT TYPE: Column ISSN: 0199-6649 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 1052 LINE COUNT: 00079

...ABSTRACT: from the arcane complexities of the DOS file syntax. The Hypertext Transfer Protocol (HTTP) was **chosen** and installed. After setting up the **server** , the more complex task of setting up the infrastructure was undertaken. A system reboot was...

... scene before it passed me by. Also, I wanted a server for organizing my own **document** archives. I've **accumulated** several megabytes of original article drafts, consulting reports, and other electronic effluvia. A Web server...

...with some other links, on InfoWorld's Web site (go to [http://www.infoworld.com/ reference .html](http://www.infoworld.com/reference.html)).

I chose Hypertext Transfer Protocol (HTTP), which I found on the CD-ROM that...



...has been getting. And do check out our resource listing at  
<http://www.infoworld.com/reference.html> for a listing of server sites and  
other places to get more help.

David...

19950703

10/K/17 (Item 5 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB

(c)2005 The Gale Group. All rts. reserv.

07711571 SUPPLIER NUMBER: 16602211 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Departmental RAID subsystems: no-fault insurance. (comparison of DEC's  
Digital StorageWorks RAID Array 210, HP's DiskSystem, Micropolis Corp's  
RAIDion LTX, Storage Dimensions' SuperFlex) (includes related articles on  
product summary, testing methodology, RAID terminology, RAID Advisory  
Board book and evaluation results) (Hardware Review) (Evaluation)  
(Evaluation)**

Epler, Anita; Carreon, Julia

InfoWorld, v17, n9, p66(8)

Feb 27, 1995

DOCUMENT TYPE: Evaluation ISSN: 0199-6649 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 8086 LINE COUNT: 00645

... the file to assess the damage. Using the parity data, the missing  
pieces of the **file** can be **reconstructed**. The data is then sent to the  
client that requested it and rewritten on the...from a table with 5 million  
records, writing the results into a file on the **server0**. The remaining  
four clients **selected** various records from tables with 1 million to 5  
million records and then inserted the...these were made via a cable or  
backplane board. Finally, we looked at the SCSI **ID** selector, noting its  
placement and style and evaluating how easy it was to reach and...

19950227

10/K/18 (Item 6 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB

(c)2005 The Gale Group. All rts. reserv.

06440876 SUPPLIER NUMBER: 13795487 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Inventing American reality. (trends in American architecture and interior  
design) (Forum)**

Huxtable, Ada Louise

Interior Design, v64, n2, p33(9)

Feb, 1993

ISSN: 0020-5508 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 7496 LINE COUNT: 00593

... also questionable.

Beyond virtually unavoidable technical errors, such "authentic  
reproductions" will always be false. Few **documents** are not subject to  
interpretation. Still, **reconstruction** has taken on an aura of natural, or  
national, correctness. Foreign dignitaries are welcomed at...by these  
"lessons" in merchandising and make-believe.

Surveys have shown that Americans increasingly **choose** theme parks as vacation **destinations** . Museums, also dependent on visitors, have had to hustle to compete. Museums of natural history...

...familiar themes as Main Street and Big Thunder Mountain, but Tomorrowland has become Discoveryland, with **references** to European explorers, and Sleeping Beauty's castle is considerably more elaborate than the American...painstakingly analyzed and applied popular and historical themes. In this highly rationalized design process the **references** can be tortuous, idiosyncratic, and opaque. Appropriating low art for high art automatically cancels out...

...arguments. But this work has always broken new ground; at its best, it rejects familiar **references** and conventions for fresh perceptions and possibilities; it gives us new interpretations of space and...assimilated and transformed modernism; to this has been added a vast range of deeply embedded **references** to the past. The result is as different from the earlier architecture of this century...

19930200

10/K/19 (Item 7 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

06184560 SUPPLIER NUMBER: 13256016 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**LAN e-mail systems. (local area networks; evaluations of seven electronic mail systems) (Software Review) (PC User NSTL Lab Report) (Evaluation)**  
PC User, n197, p130(15)  
Nov 4, 1992  
DOCUMENT TYPE: Evaluation ISSN: 0263-5720 LANGUAGE: ENGLISH  
RECORD TYPE: FULLTEXT; ABSTRACT  
WORD COUNT: 6194 LINE COUNT: 00511

... and fax links available from Enable Weaknesses \* No Windows version available \* Installation made confusing by **reference** manual with two separate supplements \* DOS interface requires too many keystrokes \* Uses keyword searches to...databases should be located on server volumes with plenty of available disk space for the **accumulation** of mail and other **files** . Programs within the e-mail package act as a database engine and manipulate the mail...

...may frequently receive the same messages. To obviate the tedium of repetitious entry or list **selection** , users can create distribution lists as aggregate **destinations** for messages. A name designating a distribution list is expanded by the mail system into...

19921104

10/K/20 (Item 8 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

05174073 SUPPLIER NUMBER: 10733524 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**What every CEO should know about new merchandising technology.**  
O'Connor, Michael J.

Supermarket Business, v46, n5, p63(5)

May, 1991

ISSN: 0196-5700

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 5117

LINE COUNT: 00403

... show a card, and the purchase is recorded in the airline's computer. When travelers **accumulate** enough miles in their **files**, they are awarded free tickets for their **chosen destinations**.

The airline promotion provided the idea for retailing's new frequent shopper programs. The customer...

...a VISA credit card as a part of the club card and for check-cashing **identification**.

Electronic promotion is a hot idea that is currently sweeping across the country. First the...

19910500

10/K/21 (Item 1 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01969452

SUPPLIER NUMBER: 18590015

**Extra! Extra! News delivery the Internet way. (Usenet news, or Internet newsgroups) (PC Tech: Internet Tools) (Internet/Web/Online Service Information) (Tutorial)**

Gonzalez, Sean

PC Magazine, v15, n15, p333(3)

Sep 10, 1996

DOCUMENT TYPE: Tutorial

ISSN: 0888-8507

LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 2678

LINE COUNT: 00225

...ABSTRACT: any topic, and the newsgroup name is made up of a series of period-separated **identifiers** beginning with the most general and getting more specific down the line. Most articles are...

... structure that denotes their content type. Each name consists of a series of period-separated **identifiers**, ordered from most general to most specific, that together describe the newsgroup's area of...

...and computer-related topics, respectively. Currently there are approximately 600 top-level categories. Each additional **identifier** narrows the focus of the newsgroup's subject matter. So rec.pets.cats, for example...

...multiple smaller files. Each part is posted to the newsgroup as a separate article; to **reassemble** the encoded **file**, you need all the parts, plus a uudecode utility.

In addition to text messages and...newsgroups to which the message belongs; subject, the message subject supplied by the author; message- **id**, the domain from which the message originated (a unique message **identifier** followed by @full...

...24 May 1996 23:15:35-0700

Organization: California State University, Northridge

Lines: 12

Message- **ID** : <31A6A587.583E@huey.csun.edu>

NNTP operates on TCP/IP port 119; therefore...  
MessageID pat (morepat...)  
xpath xpath MessageID

After making a connection to a news **server**, you could issue a grouprec.pets.cats command to **select** the rec.pets.cats newsgroup, followed by a next command to display the next available message **ID**, and then an article command to display the message headers and body (see Figure 3...

...24 May 1996 23:15:35-0700  
Organization: California State University, Northridge  
Lines: 12  
Message- **ID** : <31A6A587.583E@huey.csun.edu>  
**References** : <4nntag\$a8t@newsbf02.news.aol.com>  
<319F80BF.346F@direct.ca> <...

...the Internet posts a message, the news server at the local site adds the message **ID** of the new article to a spool file. Usually the name of this file is...

...spool file and makes a connection to its feed site or sites. For each message **ID** in the spool file, the news server asks its feed site whether the feed site has already received an article with a matching message **ID** (according to the standard, message IDs should not be reused for two years). If the answer is yes, the news server skips that message **ID** and proceeds to the next one in the spool file; if the answer is no, the news server transmits the article. The feed site in turn adds the message **ID** of the newly received article to the spool file for each of its feed sites ...

19960910

10/K/22 (Item 2 from file: 275)  
DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01947154 SUPPLIER NUMBER: 18382915 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Document management embraces the intranet: report from Documation '96.**  
(conference on technical information management) (Industry Trend or Event)

Walter, Mark  
Seybold Report on Publishing Systems, v25, n14, p11(7)  
April 23, 1996  
ISSN: 0736-7260 LANGUAGE: English RECORD TYPE: Fulltext  
WORD COUNT: 5396 LINE COUNT: 00433

... Livelink Intranet pricing ranges from \$12,500 to \$130,000, depending on the engines and **server** configurations **selected**. A basic system includes a Netscape Commerce **server** and a choice of Livelink Search or Livelink Library. Additional engines are added as needed...

...of "master traceability"; each document and object in the Documentum system has a globally unique **ID**. The **ID**, which travels with the document, is critical for tracing and keeping control over master documents ...relational database. The database is loaded in such a way that it is possible to **reconstruct** reliably the original SGML **file** from the

database, if necessary.

Once the text and associated graphics are loaded, you develop...

19960423

10/K/23 (Item 3 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01890605 SUPPLIER NUMBER: 17957208 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Write a simple HTTP-based server using MFC and Windows Sockets. (Technology Tutorial) (Technical)**

Cook, David

Microsoft Systems Journal, v11, n2, p43(20)

Feb, 1996

DOCUMENT TYPE: Technical ISSN: 0889-9932 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 8962 LINE COUNT: 00735

... connection request.

On the client side, things have just begun. Typically, the home page contains **references** to graphic images contained within the page. As the client processes the page, it may...

...page contains a bitmap image of your company logo. The Web browser will identify the **reference** to this element in the home page and understand that it needs to contact the...using separate transactions with the server.

HTML

When the browser gets a home page with **references** to graphics instead of actual graphics, what does it actually get? What does the information...

...for images that haven't been retrieved yet.

The next two items of interest are **references** to other LTRLs. As you can see in Figure 1, the phrases "Microsoft Systems Journal..."

...s the browser's responsibility to underline or otherwise highlight the text associated with these **references**, detect when the user has clicked one of them, and take the appropriate action. HTML...

...is. You can create fairly sophisticated Web pages just using graphic images and hotlinks. The **references** can point to any kind of network resource, not just other HTML documents. There's...generate more useful statistics, such as activity mapped by time of day, most frequently requested **files**, and so on.

CClient **accumulates** log information as it processes the request. Before killing the client, CWebDoc extracts the log...

...STRING is the resource **ID** of the string "Dave Cook Consulting." By convention, software settings are stored in the key...to provide current temperatures for a city of the client's choosing. If the client **chooses** Chicago, HTTP would **reference** http://scripts/weather.dll?chicago. The **server** in turn would load WEATHER.DLL and call its exported HttpExtensionProc, passing it a pointer...

19960200

10/K/24 (Item 4 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01850002 SUPPLIER NUMBER: 17606275 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Start 'er up. (excerpt from CD-MOM 95: The Mother of All Windows 95

Books) (Tutorial)

Simon, Barry; Leonhard, Woody  
PC/Computing, v8, n11, p306(17)  
Nov, 1995

DOCUMENT TYPE: Tutorial ISSN: 0899-1847 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 15233 LINE COUNT: 01162

... keep the installer from checking again. If you know you have enough disk space, the / ID switch will keep the Installer from checking, too. It'll save a few minutes. Yeah...need to install all of your Windows apps to make them work properly. You can **reconstruct** GRP files with GRPCNV, and you can copy INI files by, uh, copying INI files. Don't let this little dialog box spook you.

If...

...Installer will probably ask you for your name, your company's name, and your Product ID number. Make sure you use something for your name and your company's name that...

...entered, and that name can show up in the most embarrassing places.

Rush: The Product ID number is on a hokey piece of paper in your Windows 95 box called a Certificate of Authenticity. Yeah, sure. Authenticity. Anyway, as soon as you find the Product ID number, get a permanent marker and write it on the labels of your installation disks... you have a modem. (Microsoft Mail is only for folks attached to a Microsoft Mail server.)

If you **chose** Custom installation, you'll get to **choose** which components of Windows 95 will be installed on your machine. Note that the installer...

19951100

10/K/25 (Item 5 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01804827 SUPPLIER NUMBER: 17155740 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Tools and utilities. (1995 Database Buyer's Guide and client/server sourcebook) (Buyers Guide)

DBMS, v8, n6, p72(29)

May 15, 1995

DOCUMENT TYPE: Buyers Guide ISSN: 1041-5173 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 45154 LINE COUNT: 03869

... of tools to analyze, understand, and maintain C programs. Includes four main components: a cross- **referencer** , a function-call diagrammer, a reformatter, and an intelligent source-code lister. Supports K&R...

...run on a 386 or 486 PC. Lister prints outlined listings of code. The

cross- **referencer** provides detailed symbol descriptions including symbol usage (assigned, declared, and address used) and type information... CA-Clipper 5.x. Includes a royalty-free integration license, printed documentation, and Norton Guides **reference** database. Comes with 30 days of free voice support and two years of free BBS...letting users create graphical models of system applications. Supports transaction processing to full-scale client/ **server** database applications and real-time system design. Offers a large **selection** of structured methodologies, including Yourdon/DeMarco, Gane & Sarson, Ward-Mellor, Martin, and IDEF1X. Development ...it automatically generates a separate graphical representation of its structure where users can optimize tables, **references**, integrity rules, indexes, and views. Throughout an application's life cycle, this two-level, information...for Summer '87 and another for CA-Clipper 5.x. Includes printed documentation, Norton Guides **reference** database, and an unlimited royalty-free integration license. Includes 30 days of free voice support...and columns from a host table and writes to a new target table using row- **selection** criterion and a referential-integrity check. As a two- **server** tool for DB2-to-Oracle (SPX) or Oracle (SPX)-to-Oracle (TCP), it moves tables across **servers**. Updates **selected** columns or computed expressions from host-to-target table among **servers** according to row- **selection** criterion on host and a referential-integrity check on target. Task design uses drag-and... customization. \$23,000 and up, depending on configuration. Reader service #718.

EnforceBase

Extended Systems, Bolse, ID

206-322-7575; 800-235-7576

A data-integrity tool that lets database managers ensure...aspects of client/server security, including security management, user administration, systems monitoring/intrusion detection, user **identification** and authentication, secure electronic messaging, and automated-file migration. Has a cross-platform, client/server...complexity for review of database design, transaction architecture, and performance analysis. The number of object **references**, transaction complexity, and nested levels in database transactions are ranked for all objects. Includes a...Francisco, CA

415-834-3131

Provides the complete text and graphics of the Sybase Commands **Reference** Manual, System Administration Guide, and Transact-SQL User's Guide for version 4.9 of System 10 in a hypertext format. These **reference** manuals are integrated with hypertext links. Users can cross- **reference** these **references** by double-clicking. Includes an icon-driven interface, navigation aids, and a master glossary to...

...drill down to the required level of detail. Contains more than 1000 pages of cross- **referenced** help sources, a colorful icon-driven interface, a master glossary, navigation aids, and bookmarked for...management). Supports DLLs, DDE, and other resources. Includes Extend System support, printed documentation, Norton Guides **reference** database, Windows help file, royalty-free integration license, 30-day free voice support, and two ...entry and text-editor systems; 6.2MB of online documentation; Microsoft-compatible object file librarian; **reference** utility; symbol renamer; and deltafile batch program. Supports Clipper Summer '87, CA-Clipper 5.x...overlayable and multiuser compatible. Comes with a royalty-free integration license, documentation, and Norton Guides **reference** database. Requires Clipper Compiler Summer '87, 5.01, or 5.2. \$249. Reader service #812...

...suggestion function. Source code is completely overlayable and

Exospace-compatible. Includes printed documentation, Norton Guide **reference** database, and unlimited royalty-free integration license. Includes 30 days of free voice support and...by-example extensions, calendars, and calculators. Includes source code, online help, sample application, tutorial, and **reference** manual. No runtime royalties. Requires PowerBuilder. \$395 per developer. Reader service #823.

PowerFrame Application Security...that can make FAR Pascal functions calls and pass 16- and 32-bit parameters by **reference** and value. Built-in dialog box functions let users prompt for COM port selection, UART ...A point-and-click SQL query tool that lets Windows PC users use enterprise EDA **servers** without writing queries such as SQL **Select** statements. Through IBI's EDA/SQL technology, it can extract enterprise data from more than...calculations and fills the elements with data. Creates payroll reports, phone lists, labels, form letters, **reference** materials, and corporate annual reports. Reader service #917.

#### Intelligent Query

IQ Software Corp., Norcross, GA...requirement is to call the r-tree report function, which reads c-tree Plus data **files**, performs necessary calculations, monitors control breaks and **accumulators**, and produces a formatted report. Lets users distribute report scripts in their original form, or...

19950515

10/K/26 (Item 6 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01688545 SUPPLIER NUMBER: 15356060 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Tools and utilities. (1994 Database Buyer's Guide and Client/Server**

**Sourcebook) (Buyers Guide)**

DBMS, v7, n6, p63(29)

June 15, 1994

DOCUMENT TYPE: Buyers Guide ISSN: 1041-5173 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 46074 LINE COUNT: 03903

... 666-8129

Detects uninitialized variables and other syntax errors in Xbase programs, and builds cross- **referenced** listings of programs and entire systems. Supports dialects of dBASE II, III, III Plus. IV...and comprehensive reports, including action diagrams, hierarchical tree flow charts, procedure reports, and variable cross **references**. Users can browse online through a structure outline while studying its logic, customized report settings...CA-Clipper 5.x. Includes a royalty-free integration license, printed documentation, and Norton Guides **reference** database. One year of free BBS support. \$199.

Hi-Screen Pro II Software Inc., San...

...Screen Pro II also provides code portability between DOS. Windows 3.x, and PenDOS. Includes **reference** guide, user guide, examples, tutorial, quick **reference** card, and complete software toolbox. Demo disk availabl. DOS: \$935. DOS and Windows: \$595. PenDOS...ERwin/ERX and ERwin/SQL. Supports entity attribute, and relationship definitions; primary- and foreign-key **identification**; referential-integrity constraints; business rules; inversion entries; and alternate keys. Developers can build enterprise-wide...central definition and maintenance of logical data structures; automated documentation of applications with active cross



**references** ; central administration of processing and integrity rules; facilities for testing an application for consistency and...

...managed. Metadata is maintained dynamically; any modification results in the automatic update of all appropriate **references** . \$700-\$104,500, depending on environment.

ProcessMaker Mark V Systems Ltd., Encino, CA 818-995...generate alteration, commands for tables and indexes by comparing a new physical model with a **reference** model, or create scripts for a new target database. Links with client/server development tools...Clipper Summer '87 and another for CA-Clipper 5.x. Includes printed documentation, Norton Guides **reference** database, and an unlimited royalty-free integration license, and an unlimited royalty-free integration license...database object reports, including reports by object, class, all objects in the database, or all **references** to each object. Includes complete call trees for stored procedures or triggers, and table and...production applications by selectively migrating new objects from a test subsystem; or remove an authorization **ID** by changing Creator and Grantor IDs during the migration. Lets users generate a single job...facilities, and user customization. \$16,000 and up, depending on configuration.

EnforceBase

Extended Systems, Boise, **ID** 208-322-7575; 800-235-7576

A data-integrity tool that lets database managers easily...Help Retting Micro Corp., Marina del Rey, CA 310-301-0911

A pop-up quick- **reference** software program that works with any editor or word processor. **References** and entry by name, functional category, grammatical type, text fragments, or see-also pointers. Syntax... and a PC network. Special features for publishers of multiuser software. Money-back guarantee. CompuServe **ID** : 73667,56. \$249.

dMILL Network Kit for CA-Clipper: Source Code Database Software Consultants, Austin...

...set of 30 memvars, specified on a per-user basis by a provided utility. CompuServe **ID** : 73667,56. \$79 each.

Fast Text Search for C/Windows Index Applications Inc., San Antonio ...any application, including full text-management systems, inventory, catalog systems, hypertext-like help systems, technical **reference** , and legal/medical bibliographic systems where vast amounts of rapidly changing textual information must be...

...entry and text-editor systems; 6.2MB of online documentation; Microsoft-compatible object file librarian; **reference** utility; symbol renamer; and a deltafile batch program. Supports Clipper Summer '87 and CA-Clipper...overlayable and multiuser compatible. Comes with a royalty-free integration license, documentation, and Norton Guides **reference** database. Requires Clipper Compiler Summer '87, or CA-Clipper 5.01 or 5.2. \$249...

...spellcheckers. Source code is completely over-layable and Exospace-compatible. Includes printed documentation, Norton Guide **reference** database, and unlimited royalty-free integration license. 30 days of free voice support and one...

...multiuser capabilities on many networks. Allows access to the physical or logical station number, user **ID** and access rights, server names, DOS environment strings, and other settings from within FoxPro. NetLib...from CompuServe forums. Also incorporates NetWare-specific functions to retrieve information such as login user **ID** nbad full name and login date. Source

code included. \$49. Reader service #846.

Sez You...Windows-hosted Btrieve DDF file editor), a function-call library (DLL), and a third-party **reference** book. Controls include file, table, record manager, button, link, text, scrollbar, listbox, and combobox. Record...color commands for printing to the new HP PaintJet XL300 (300 dpi). Comes with full **reference** manual, sample programs, drivers for LaserJet II, III, and IV, PostScript driver, Image driver for...effective point-and-click SQL query tool that lets Windows PC users exploit enterprise EDA **servers** without having to write queries as SQL **Select** statements. Through IBI's EDA/SQL technology, it can extract enterprise data from more than...requirement is to call the r-tree report function, which reads c-tree Plus data **files**; performs necessary calculations; monitors control breaks and **accumulators**; and produces a formatted report. Lets users distribute report scripts in an original form, or...DOS. Free technical support to registered users. Supports all versions of CodeView. Also provides technical **reference** manual and Norton Guide online help file. \$299.

CleanUp FMS Inc., Vienna, VA 703-356...

...management). Supports DLLs, DDE, and other resources. Includes Extend System support printed documentation, Norton Guides **reference** database, royalty-free integration license, 30-day free voice support, and one-year free BBS...

19940615

10/K/27 (Item 7 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01593095 SUPPLIER NUMBER: 13750099 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Migrating databases to Oracle7: convert your version 6 files without a hitch. (Oracle Corp.'s database management system) (includes related article on using Clipper to develop programs for network data security) (Integration: Databases) (Tutorial)**

McCay, Bruce

Corporate Computing, v2, n5, p147(2)

May, 1993

DOCUMENT TYPE: Tutorial ISSN: 1065-8610 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 1808 LINE COUNT: 00144

... should you install the Oracle7 database and the desired Oracle products. If the only product **selected** is the Oracle7 **Server**, the install routine also installs Toolkit 2. Version 2 of PL/SQL is included within the **Server** product. All other products can be added later.

Step 6: **Choose** the Oracle Installer migration option. Exit and then re-enter the Oracle Installer and choose...

...has finished, run catalog.sql to create the Oracle7 data dictionary views. If existing applications **reference** obsolete version 6 dictionary views, also run catalog6.sql. The migration utility will automatically convert...Then, should a failure occur in the middle of a transaction, it is possible to **reconstruct** the account balances from the information in the transaction detail **file**.

Use Commit to write data to disk immediately. After writing the records that make up...

19930500

10/K/28 (Item 8 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01466711 SUPPLIER NUMBER: 11671926 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Tuning a LAN database. (local area network; includes related article on local area network media access methods) (Tutorial)**

Rockwell, Michael

Windows-DOS Developer's Journal, v2, n12, p26(5)

Dec, 1991

DOCUMENT TYPE: Tutorial ISSN: 1059-2407 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 2514 LINE COUNT: 00192

... networks. Files and messages are broken into data packets as they are sent then are **reassembled** at the other end to form the original **file** or message. A data packet has three sections: header, data, and trailer. The header includes...the user enters a query, the query is sent over the network to the database **server**. The **server** then **selects** all the records that match the query and sends them back to the front end...as new applications are added, the dynamics will change and retuning will be necessary. For **reference** and tracking purposes, it's a good idea to keep a log of all changes...

19911200

10/K/29 (Item 9 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01426192 SUPPLIER NUMBER: 10567711 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Sassing it up. (Software Review) (SAS Institute's SAS/Assist) (evaluation)**

Sobel, Barry

DEC Professional, v10, n4, p100(3)

April, 1991

DOCUMENT TYPE: evaluation ISSN: 0744-9216 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 1451 LINE COUNT: 00111

...ABSTRACT: also useful for users who prefer not to remember SAS language syntax or handle existing **accumulations** of data in an RMS **file**. The documentation helps users understand the capabilities and flexibility of the SAS System, but can...

... installation process and suggestions for tuning your system for best performance under SAS. After you **select** the **destination** to which you want to unload the savesets, SAS takes over with a full-screen...

...automatically runs the SAS SETINIT [underscore] TEST procedure. This checks to see that the CPU ID and type supplied on the tape matches your system.

Ours didn't match. Our SETINIT...tool for those who'd rather not remember SAS language syntax or deal with existing **accumulations** of data in an RMS **file**. I found the Display Manager system very useful for the

way I'm used to...

19910400

10/K/30 (Item 10 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01352519 SUPPLIER NUMBER: 08182804 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Database directory 1990. (buyers guide)**

Data Based Advisor, v8, nl, pS18(77)

Jan, 1990

DOCUMENT TYPE: buyers guide ISSN: 0740-5200 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 46989 LINE COUNT: 04063

... you. Instead of sending entire databases files over the wire to your desktop, a database **server** picks and **chooses** only those records you need to look at for the moment. Best of all, you...with 250 functions. \$700

SQL Mach 1

Advanced Data Servers P.O. Box 4937 Boise, ID 83711 (208) 322-7800  
fax: (208) 377-1906

A high-performance multiuser RDBMS.

SQL Windows...tools to generate a mind-boggling array of system reports. These reports include:

- \* Variable cross- **reference** lists (useful for tracing exactly where and why you used a variable).

- \* Data dictionaries (indispensable...of products are quite substantial, as we shall discover.

The first category includes "on-line **reference** manuals." These on-line manuals provide syntactical examples at the touch of a key. Most...

...few of these products are memory-resident (in much the same fashion as on-line **reference** manuals), the majority can be linked into your applications.

CLIPHELP

Accelerated Information 35 Stillman Pl...

...San Antonio, TX 78201 (800) 622-6435 fax: (512) 734-8584

Six professional pop-up **reference** databases for dBASE users. \$99 plus \$5 s/h

dBASE On Line LAN

SofSolutions 440...

...San Antonio, TX 78201 (800) 622-6435 fax: (512) 734-8584

A professional pop-up **reference** system for dBASE users. \$249 plus \$5 s/h

dHelp Plus

GTX Corp. 10 Tower...

...context-sensitive help without reprogramming. \$99

HelpGen

Help Systems Co. 2626 N. Woody Dr. Boise, ID 83703 (208) 343-8851

Builds menu-driven help from the application's manual.

MAXHelp

Software...

...Wilshire Blvd., Suite 470 Beverly Hill, CA 90212-3237 (213) 272-3784

TSR help systems/ **reference** guides for dBASE-compatible database management systems. \$119.95 for reader plus data file. Additional...access to volumes of technical data that'll let you forego flipping through volumes of **reference** manuals. If you want to store video images and text in your database manager, there...North Reading, MA 01864 (508) 664-0258

Print trees, document, check logic, indent, and cross **reference** lists.

#### FLASH

Datapak, Inc. 1021 Walnut St. Vicksburg, MS 39180 (601) 636-4844

Speed dBASE...813) 786-6280

Some suggestions for using PC technology within ISM.

dBASE IV Programmer's **Reference** Guide

Howard W. Sams & Company 11711 N. College Ave. Carmel, IN 46032 (800) 257-5755...

...483-6400 (800) 336-6060 fax: (619) 483-9851

By David M. Kalman, dBASE language **reference** guide. Includes dBASE III PLUS, dBASE IV, Clipper, Quicksilver, dBaseXL, and FoxBASE+. \$29.95 plus ...

...Bunsen Way, #300 Louisville, KY 40220 (800) 223-8720 fax: (502) 491-4200

A Paradox **reference** guide with examples and illustrations. \$26.95

#### EXTENSIONS

Gary Beam 21175 Tomball ...Bunsen Way, #300 Louisville, KY 40220 (800) 223-8720 fax: (502) 491-4200

A complete **reference** guide to using LaserJets with dBASE and Paradox.

Managing Micros

Data Trac, Inc. 1859 N...

...Dr. Trumbull, CT 06611 (203) 374-8000 fax: (203) 374-3374

A 500-page DataEase **reference** book from QUE Corp. \$22.95

Who's Responsible For PC Applications?

Technology Resource Mgt...Micro Solutions P.O. Box 774 Bethel Park, PA 15102 (412) 831-8928

Manage sermons, **references**, personnel finances, and parishioner data. \$75

#### CHIMES

Software Design Ltd. 420 Waterloo St. London, ON...I-9s, and 50+ Reports. \$479

MultiFlex-2000

Select Software 2626 N. Wood Dr. Boise, ID 83703 (208) 343-8851

A flexible employee benefit administration system.

#### CLAIMS

Software Design Ltd. 420...programmer. Get a referral from a business associate and don't hesitate to ask for **references** or samples of work from those consultants you're considering for hire.

#### ALABAMA

Clipper Developers...G. Harrington Co. Box 60308 Pasadena, CA 91106 (818) 793-6874 fax: (818) 792-4544

**Reconstruct** business records from fragmented **documents**. Record and manage legal pleadings.

Consulting/Programming

Marcy Computer Services P.O. Box 2209 Lompoc...Recovery, [17] dBASE For The Norton Guides, [13] dBASE IV, [1] dBASE IV Programmer's **Reference** Guide, [21] dBASE Language Handbook, [21] dBASE Mac, [1] dBASE On Line LAN, [13] DBCAT...27] Project Management Software, [28] Recital, [1] Howard W. Sams & Company dBASE IV Programmer's **Reference** Guide, [21] Best Book Of: dBASE IV, The, [21] Best Book Of: OS/2 Database...Demos, [15] Software

Documentation, [28] YSCTECH QUERY, [8]

Z

Zanthe Information, Inc. Zim, [1]

Cross **Reference** Key

[1] Database Management Systems

[2] Flat File Programs

[3] Integrated Software

[4] Text Based...

19900100

1 10/K/31 (Item 11 from file: 275)  
DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01294511 SUPPLIER NUMBER: 07204080 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Getting protocols right. (local area network protocols)**

Morgan, Guy

Tech PC User, v1, n8, p16(7)

April, 1989

ISSN: 0954-6995 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 6504 LINE COUNT: 00521

... destination node must have a mechanism for receiving the network packets and be able to **reassemble** the network packets into the original order of the **file**.

Applications that are distributed between multiple computers on the network will require reliable data transfer...required. The level in this case is the network layer (Level Three of the ISO **Reference** Model). In the TCP/IP protocol suite, the IP is responsible for providing the internetwork...

...bytes in the Internet datagram. This includes the data as well as the header information.

\* **Identification** : This is a unique number that is used to identify the datagram. The number is...Internet datagram is the routing information and the destination and source addresses which define the **destination** and source computers.

Routing Mechanisms

and Route **Selection**

Several routing mechanisms are commonly used in network. The Internet datagram protocol allows for the...level protocol, such as TCP. TCP uses the idea of ports, which are 16-bit **identifiers** used by the source and destination application processes to request and listen for information to ...

19890400

10/K/32 (Item 12 from file: 275)  
DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01252613 SUPPLIER NUMBER: 06757821 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Macintosh meets the mainframe. (Software Review) (direct access through**

**MacIRMA software) (evaluation)**

Firgins, Paul

PC Tech Journal, v6, n7, p66(4)

July, 1988

DOCUMENT TYPE: evaluation

ISSN: 0738-0194

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 3074      LINE COUNT: 00239

... are required to configure a card. The design of the bus requires that configuration and **identification** information be included in ROM on the NuBus expansion cards.

The MacIRMA card has only...FILE pull-down menu and choosing the appropriate SEND or RECEIVE option. The user can **choose** source and **destination** options as well as transfer protocols and related options. Photo ...photo, an application program, and so on), and the icons and fonts associated with the **file** . Resources must be included if the user wants to **reconstruct** the original Mac application after a transfer. They are not needed to transfer some types...

19880700

?

? t s22/medium,k/1-26

**22/K/1 (Item 1 from file: 15)**

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

02372256 116350502

**Interlending and document supply: a review of recent literature XXXVIII**

Gould, Sara

Interlending & Document Supply v28n3 PP: 143-150 2000

ISSN: 0264-1615 JRNL CODE: ILDS

WORD COUNT: 5202

...TEXT: electronic document delivery, and there has been a useful flurry of articles describing the national **document delivery** scene in a **large** number of countries. **Document delivery** in developing countries has not appeared as much as might be expected in the literature...the use of commercial article supply rather than the purchase of traditional subscriptions; integration of **document** delivery services within a framework of integrated **collection** development was proven to be a valid direction in which to move; and finally, there...range of reasons being given as to why international ILL cannot be undertaken on a **large** scale.

**Document delivery** by subject

Locating documents which have a very narrow subject speciality and which therefore may...

...the first in a series of articles on docdel resources, and offers a list of **document** suppliers having specialist **collections** of narrow subject material. Included in the list are suppliers of material relating to banking...clear that thesis authors would need training in order to produce the required structured electronic **documents**.

#### **References**

1. Anglada, L.M. (1999), "Working together, learning together: the consortium of academic libraries of...

**22/K/2 (Item 2 from file: 15)**

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

02353544 115724633

**Managing World Wide Web publications**

[1]

Foo, Schubert; Lim, Ee Peng

Asian Libraries v6n3/4 PP: 166 1997

ISSN: 1017-6748 JRNL CODE: ASIL

WORD COUNT: 3649

...TEXT: is a wide area hypermedia information retrieval initiative aimed to give universal access to a **large** universe of **documents**. It is organized as a set of HyperText **Transfer** Protocol (HTTP)[3] servers designed specially for rapid distribution of hypermedia documents. Hypermedia uses a...

...Figure 1.



As hypermedia systems are often used to structure information contained in pre-existing **documents**, the same **document** can be **referenced** by different nodes. Thus, the hypermedia model allows the sharing of node contents. Users navigate...

...as USENET Newsgroup, ftp (file transfer protocol) - a file transfer facility for uploading and downloading **files** around the world - and Gopher (a globally searchable **collection** of menu-based hierarchical information resources). Examples of such search engines include Magellan[7] and...if necessary. The authoring tool facilitates the creation of new documents and modification of existing **documents**. Using the import tool, **collections** of hypermedia **documents** can be inserted into the hypermedia database in a batch mode. The querying and browsing...

22/K/3 (Item 3 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

01978724 48297235

**King of the NOS hill**

Bass, John; Robinson, James

Network World v17n4 PP: 71-78 Jan 24, 2000

ISSN: 0887-7661 JRNL CODE: NWW

WORD COUNT: 4938

...TEXT: Handling the staples: File and print

A NOS is nothing without the ability to share **file** storage and printers. Novell and Microsoft **collected** top honors in these areas.

You can easily add and maintain printers in Windows 2000...file transaction requests to the server.

We divided the tests into two categories small and **large file transfers**.

For the small **file transfer** tests, we used a 3-D test matrix of **transfer** direction (read/write), block size (1 K and 8K bytes) and transaction type (random/ sequential...  
...turned off, and we reran the test with the new benchmark software build.

For the **large file transfer** tests, we combined reads and writes together in the same tests to emulate the behavior...

...all combinations of transfer type (random/sequential) and block size (1K and 8K bytes). The **large file transfer** tests used a mix of 80% 500K-byte files and 20% 1 M-byte files...

...failover clustering support and load-balancing clustering ability, For our security evaluation, we examined password **file** encryption, password and user **ID** encryption over the network, and any advanced security features offered. For stability and fault tolerance...

22/K/4 (Item 4 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

01641798 02-92787

**Project Memory: Information Management for Project Teams**

Weiser, Mark; Morrison, Joline

Journal of Management Information Systems: JMIS v14n4 PP: 149-166 Spring 1998

ISSN: 0742-1222 JRNL CODE: JMI

WORD COUNT: 6115

...ABSTRACT: is developed. It decomposes project formation into 5 discrete classes: projects, users, events, meetings, and **documents**. Through inheritance and domain **references**, the model describes the people, temporal events, and archival documents that are created within a...

...TEXT: is developed. It decomposes project information into five discrete classes: projects, users, events, meetings, and **documents**. Through inheritance and domain **references**, the model describes the people, temporal events (such as meetings or single agenda items within...

...10].

Document-oriented project data integration is usually accomplished by systems that create indexes to **document files** or store linked **references** to **documents** or **document** data. **Documents** may be stored either as graphic images or in their native application formats (e.g... folder. Control subjects were given the paper documents, arranged chronologically in a series of labeled **file** folders. Following **collection** of the completed answer sets, a post-test questionnaire (provided in the appendix) was distributed...of the database at remote sites is being investigated to minimize the delays inherent in **transfer** of **large** binary **files** using common **file transfer** protocols.

All of these investigations will have an impact on the model structure and are...

**22/K/5 (Item 5 from file: 15)**

DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

01364302 00-15289

**WebNFS: NFS for the Internet**

Callaghan, Brent

UNIX Review v15n2 PP: 45-52 Feb 1997

ISSN: 0742-3136 JRNL CODE: UXR

WORD COUNT: 4190

...TEXT: a file or directory on a specific disk. For instance, most UNIX servers include the **file** device **ID**, inode number, and generation number. To the client, the data in the file handle is...a new path relative to the public file handle and use it to locate the **referenced file** or directory. For instance: Table 1

Except in this example, the method for combining a...transfer a file to the client, it creates an additional TCP connection. Since end-of- **file** is signaled by **breaking** the connection, an additional TCP connection must be established for each file transferred. This additional connection overhead may appear trivial because most of us **transfer large files**; however, from a busy server's point of view, TCP connections are a valuable resource

...Class Download

Java applets are most commonly run via an <APPLET> tag in an HTML **document** that includes an HTTP URL **reference** to the applet bytecode **file**. Once the applet is loaded, the Java class loader loads other classes that the applet...

22/K/6 (Item 6 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00946247 95-95639

#### Editing images of text

Bagley, Steven C; Kopec, Gary E

Communications of the ACM v37n12 PP: 63-72 Dec 1994

ISSN: 0001-0782 JRNL CODE: ACM

WORD COUNT: 6229

...TEXT: use will be made of the resulting symbolic document representation. Examples of such applications include **transferring** a **large** amount of material from one **document** to another, language translation, and full-text database entry. For scenarios involving simple image-to...

...applied.

The inputs and outputs of Image EMACS are binary images of text. The primary **document** representation within Image EMACS is a **collection** of image elements extracted through simple geometrical analysis, rather than an abstract symbolic description of...comparison is based solely on reading order and is insensitive to the location of line **breaks**. In this respect, it differs from line-oriented **file** comparisons such as the Unix diff utility. However, there is nothing essential about our particular...by an evolving set of image-based document processing commands, including those adapted from traditional **document** recognition research.

#### REFERENCES

1. Adobe Systems Inc. PostScript Language Reference Manual, 2d. ed. Addison-Wesley, Reading, Mass., 1990...

22/K/7 (Item 7 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00867237 95-16629

#### Monitoring Japanese scientific and technical information using JICST databases

Davis, James L; Livny, Efrat

Database v17n3 PP: 33-42 Jun 1994

ISSN: 0162-4105 JRNL CODE: DTB

WORD COUNT: 4069

...TEXT: and Technology Agency (STA). JICST is responsible for the creation and maintenance of a comprehensive **document collection** and several databases in a broad array of scientific and technological fields. The most prominent...

...about 50 countries. It is important to note that a large portion of the JICST **File** is a compilation of **references** to literature worldwide that have been translated from other languages into Japanese. JICST, the organization...

...is available in both Japanese and English versions [6-9]. JICST also maintains a very **large document collection** that it uses to provide on-demand **document delivery** and translation services. In 1976, with the establishment of JOIS--the JICST Online Information Service...

**22/K/8 (Item 8 from file: 15)**

DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00712933 93-62154

**Premastering and CD-WO software for the PC - Evaluations of top in-house publishing software**

Anonymous

CD-ROM Professional v6n3 PP: 34-49 May 1993

ISSN: 1049-0833 JRNL CODE: LDP

WORD COUNT: 7039

...TEXT: add an Extended Attribute Record field, or XAR, for example).

The third component is the **collection** of physical data **files** to be included on the CD-ROM. These may be located on any local hard...

...to consider your standard operating procedures when evaluating potential premastering systems. If you will be **collecting files** from a variety of devices, you may not be able to record directly to a...local default values which will be used when volumes are created. Note: the default settings **reference** nonexistent bibliography and copyright **files**.

#### DOCUMENTATION

The documentation is simple and clear, although sparse on information in sections. The opening...including filename conversion options. A CD-ROM image file is premastered by entering a volume **identification** and creating a layout **file**, which provides a script for the premastering process. In the script file, the user specifies...

...or better, 4MB of available extended memory, and a hard drive with a minimum sustained **transfer** rate of 600KB per second and **large** enough to hold all the **files** that will be on the final CD image. The hard drive must be on a...only one directory tree allowed), the output device (tape, CD-WO, or a disk image **file**), and enters the Volume **ID** and specifies whether to overwrite a file if two files with the same name are...

**22/K/9 (Item 9 from file: 15)**

DIALOG(R) File 15:ABI/Inform(R)

(c) 2005 ProQuest Info&Learning. All rts. reserv.

00580449 91-54796

**Fields, Text, and Images**

Phillips, John T., Jr.

ARMA Records Management Quarterly v25n4 PP: 48-52, 62 Oct 1991  
ISSN: 0191-1503 JRNL CODE: RMQ  
WORD COUNT: 2829

...TEXT: text is needed in the system, this may be a slow way to convert existing **collections** of **documents** . Direct data entry is often used for indexing or editing documents that are imported into...computer system all of these types of documents if they are only needed for occasional **reference** .

A basic **document** locator system (possibly using barcode labels) can add considerable efficiency to the operation of a...

...central data processing departments and the ability of the existing telecommunication architecture to support the **transfer** of **large** image **files** .

All technology implementation systems should have a study performed which will decide exactly which records...

**22/K/10 (Item 1 from file: 16)**

DIALOG(R) File 16:Gale Group PROMT(R)  
(c) 2005 The Gale Group. All rts. reserv.

06984568 Supplier Number: 59091432 (USE FORMAT 7 FOR FULLTEXT)  
**King of the NOS hill; NetWare holds the performance reins, but Windows 2000 reigns supreme for features overall. (Software Review) (Evaluation)**  
Robinson, Network World Test Alliance John Bass And James  
Network World, p71  
Jan 24, 2000  
Language: English Record Type: Fulltext  
Article Type: Evaluation  
Document Type: Tabloid; Trade  
Word Count: 4793

... Handling the staples: File and print  
A NOS is nothing without the ability to share **file** storage and printers. Novell and Microsoft **collected** top honors in these areas.  
You can easily add and maintain printers in Windows 2000...file transaction requests to the server. We divided the tests into two categories - small and **large file transfers** .For the small **file transfer** tests, we used a 3-D test matrix of **transfer** direction (read/write), block size (1K and 8K bytes) and transaction type (random/sequential), which...  
...turned off, and we reran the test with the new benchmark software build.For the **large file transfer** tests, we combined reads and writes together in the same tests to emulate the behavior...

...all combinations of transfer type (random/sequential) and block size (1K and 8K bytes). The **large file transfer** tests used a mix of 80% 500K-byte files and 20% 1M-byte files. All...

...failover clustering support and load-balancing clustering ability. For our security evaluation, we examined password **file** encryption, password and user **ID** encryption over the network, and any advanced security features offered. For stability and fault tolerance...

**20000124**

22/K/11 (Item 2 from file: 16)

DIALOG(R) File 16:Gale Group PROMT(R)

(c) 2005 The Gale Group. All rts. reserv.

04729684 Supplier Number: 46962588 (USE FORMAT 7 FOR FULLTEXT)

Information Dimensions 'BASIS V8' Turbo Charges Document Management Engine  
PR Newswire, p1210NETU002

Dec 10, 1996

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 1673

... V8), Information Dimensions becomes the first company to introduce Very Large Database (VLDB) support to **document** management. This feature lets companies manage high-performing **collections** containing terabytes of **documents**, even over the World Wide Web. BASIS V8's new searching power finds information in...

...document-management system even faster.

With VLDB support, companies can now split indexes over multiple **files** to connect thousands of users to **collections** containing millions of **documents**. Also with BASIS V8, users can interact with up to 100 databases simultaneously, whether centrally...

...to BASIS Intranet Solution, the industry's fastest and most popular way to deploy huge **document collections** over the Web.

Support for super-large index **files**, combined with the BASIS single-step method of answering document queries, means users can search and update the largest **document collections** with ultra-fast performance. Other **document** management systems bog down their applications by joining different vendors' databases and retrieval products, requiring...

...WEBserver Gateway. The developments are timely as more companies seek to deploy their growing complex **document collections** on the intranet.

"The greatest challenge faced by organizations today is how to process, manage...

...that."

The Institut National de l'Audiovisuel in France has deployed BASIS for all its **collections** 'databases as the standard **documents reference** repository. "As we manage the audio and video archives of the nation, we strongly need...Management System is a multi-tiered, client-server environment for managing and distributing business-critical **document collections**. At the heart of the BASIS system is a full-featured, fully integrated document database engine that brings security, reliability, performance and scalability to the management of massive **document collections**. To complement the **document** database engine, a rich and full-featured set of client environments provides Windows desktop user...

...all enterprise users across the Internet/intranet.

Customers can quickly and easily deploy massive complex **document collections** with the Corporate Information Centre (CIC). With this prototyping tool, customers can simply load their...

...nearly 300 locations, BASIS Intranet Solution is the industry's leading

way to manage large **document collections** over the Web. BASIS V8 is shipping immediately and is available on the major UNIX...

...600 sites installed worldwide. For more than ten years, its BASIS family of products has **delivered large-scale document** management solutions to world-class organizations such as 3M, Boeing, Shell, SAAB, the Pentagon and...

...deployment document management solution for the Internet/intranet market, enabling companies to share large-scale **document collections** on the World Wide Web. Based in Dublin, Ohio, Information Dimensions, Inc. is a wholly...

19961210

22/K/12 (Item 1 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

10775468 SUPPLIER NUMBER: 53657081 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Through the Looking Glass: The Whole Document, Images, and All.**

Berinstein, Paula

Searcher, 7, 1, 38(1)

Jan, 1999

ISSN: 1070-4795

LANGUAGE: English

RECORD TYPE: Fulltext

WORD COUNT: 8656 LINE COUNT: 00723

... in place. This feature, which necessitates lots of disk space and fast telecommunications to support **large file transfers**, has complicated matters so much that the online world before the advent of the Web...that, for all intents and purposes, their content is invisible to general Web users.

\* Disadvantage: **Large PDF files** can be slow to download and search and unwieldy to **send**.

\* Disadvantage: PDF files can crash.

\* Disadvantage: You cannot search an individual PDF file with Boolean ...setting up your library in a logical way. Here's what you do:

Organize your **collection**. Decide whether each **file** will comprise a part or a whole (an article vs. an issue, for example) and...considers its viewer an Internet browser, because many RealPage documents contain links to other RealPage **documents** and because it **collects** parts of **documents** the way Web browsers do. To call the viewer a browser is misleading, however, because...

...at logon. This practice discourages the distribution of copyrighted material because you need the logon **ID** and password to open the **document** offline. (CatchWord believes that people will be reluctant to supply their logon IDs and passwords...

...only portions of the logon words, CatchWord protects registered users from password theft. Voila! Both **document** and logon **ID** /password are protected. Pretty slick. Registered users will not need to supply ID and password...

19990100

22/K/13 (Item 2 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

08759997      SUPPLIER NUMBER: 18310211      (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Spies like us. (increasing internet security risks, corporate sabotage)**  
**(includes related articles on increasing security, a glossary and**  
**information resources) (Internet/Web/Online Service Information)**

Young, Jeffrey

Forbes, v157, n11, p70(14)

June 3, 1996

ISSN: 0015-6914

LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 8225

LINE COUNT: 00664

... a confidentiality agreement. Checking computer logs, the company's internal networking staff discovered several very **large** computer **file transfers** to Igusa's home machine, recorded days before his departure. Believing they were e-mail...the most sensitive files on the network. The minutes include the password and log-on **ID** for a master **document** required by a government agency. The document includes detailed manufacturing instructions and "problem report" ...is able to guess her password. Back in his office, he logs on using her **ID** and accesses central **files** detailing manufacturing, development, problems and budgets for 95% of the company's projects.

As yet...

...blank. That created mixed-up file tables. More recent versions start from where the last **file** was saved, producing more structured **file collections** .

"If someone claims a **file** was created five years ago," Jessen says, "but it is saved in the midst of..."

19960603

22/K/14      (Item 3 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

06503297      SUPPLIER NUMBER: 13818629      (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Premastering and CD-WO software for the PC - evaluations of top in-house**  
**publishing software. (write-once) (Software Review) (Evaluation)**

Hecox, David; Hyon, Jason; Martin, Mike; Marski, Kristy; Shields, Ellie;  
Sorensen, Sugi; Teramae, Stacey

CD-ROM Professional, v6, n3, p34(13)

May, 1993

DOCUMENT TYPE: Evaluation

ISSN: 1049-0833

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 7701

LINE COUNT: 00588

... add an Extended Attribute Record field, or XAR, for example).

The third component is the **collection** of physical data **files** to be included on the CD-ROM. These may be located on any local hard...

...to consider your standard operating procedures when evaluating potential premastering systems. If you will be **collecting files** from a variety of devices, you may not be able to record directly to a...local default values which will be used when volumes are created. Note: the default settings **reference** nonexistent bibliography and copyright **files** .

Documentation



The documentation is simple and clear, although sparse on information in sections. The opening...including filename conversion options. A CD-ROM image file is premastered by entering a volume **identification** and creating a layout **file**, which provides a script for the premastering process. In the script file, the user specifies...

...or better, 4MB of available extended memory, and a hard drive with a minimum sustained **transfer** rate of 600KB per second and **large** enough to hold all the **files** that will be on the final CD image. The hard drive must be on a...only one directory tree allowed), the output device (tape, CD-WO, or a disk image **file**), and enters the Volume **ID** and specifies whether to overwrite a file if two files with the same name are...

19930500

22/K/15 (Item 4 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

06408894 SUPPLIER NUMBER: 13446033 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Hypertext multimedia software: Bell Atlantic DocuSource.**

Flanders, Bruce

Computers in Libraries, v13, n1, p35(4)

Jan, 1993

ISSN: 1041-7915

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 2533 LINE COUNT: 00215

TEXT:

...information management system consisting of software and equipment that enables readers to prepare, edit, and **deliver** text and images online. The' system permits organizations to convert **large** volumes of printbased **documents** from a variety of sources into interactive electronic libraries. The **document** library management design lets organizations effectively manage multiple **collections** of **documents** and distribute them using a variety of media including local area networks (LANs) and CD...

... represented on paper, and thus enable readers to navigate quickly and easily through an entire **document collection** to locate pertinent pieces of information.

Publish

The Publish function enables individuals within an organization...

...Library is an integrated suite of products that can be used to publish interactive electronic **documents** and then distribute **documents** and **document collections** to single users or to groups of users via LANs and CD-ROMs. The distributed...

...text searching, which is an indexed database of all the words contained in an entire **collection** of **documents** and of each place in which a particular word is used.

Using only one or...

...and full-text search capabilities, the reader can quickly and efficiently search through a huge **collection** of **documents** to retrieve a particular **document** or section of a document. The following are a few examples of DocuSource's searching ability.

\* While reading onscreen a document that contains a footnote, the

reader can retrieve the **referenced document** while remaining in the original one. The DocuSource system is capable of bringing up thirty...

...DocuSource system enables the reader to find specific information quickly by collapsing and expanding the **document collection**. The system allows the reader to use such elements as chapter headings or a table...

...for the entire document.)

\* The reader can query the DocuSource "card catalog" across an entire **document collection** to find, rank, and view occurrences of a particular topic or combination of topics.

The...

...Full-text Search provides a word index database that holds all words contained in a **collection of documents**. The search process fully integrates with the existing DocuSource indexed document catalog database (the "card...)

...displays the quantity of hits, or number of times the search word appears in the **document collection**. The hit quantity is integrated with the new interactive Table of Contents.

Interactive Table of...

...need for scroll-searching.

Copyright Management

Copyright Management offers the ability to designate an individual **document**, a group of **documents**, or an entire **collection of documents** as protected by copyright laws. It allows an organization to charge for access to those...5 also offers an enhanced document import/export capability. The enhanced version can compress large **document collections** for easier and less costly transport across telephone lines or for reading to floppy disks. It also provides a copyright export protection that prevents the unauthorized transport of **document collections** containing copyrighted elements.

"DocuSource Release 1.5 means that researchers, technicians, administrators, librarians, and other...

19930100

22/K/16 (Item 5 from file: 148)

DIALOG(R) File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

05123705 SUPPLIER NUMBER: 10408043 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Mass storage systems.**

Ranade, Sanjay; Schraeder, Jeff  
Optical Information Systems, v11, n1, p29(10)  
Jan-Feb, 1991

ISSN: 0886-5809 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT  
WORD COUNT: 9144 LINE COUNT: 00718

... services.

The file server should provide users with a wide variety of commands that can **reference files**. Commands should be available to retrieve, save, replace, copy, move, and delete a file. The...

...for the more active files and IBM 3480-technology cartridge tapes are used for very **large** or inactive **files**. For high-performance file

**transfers** , files may be stored on magnetic disk arrays or parallel transfer disks if appropriate.

In...amount of data transmitted, for the amount of data stored and for the number of **files** stored. A **collection** program is needed to extract this usage information from the various data bases. Site-specific ...

19910100

22/K/17 (Item 6 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

04875753 SUPPLIER NUMBER: 09155688 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Searching the Beilstein database online: a comparison of systems.**

(Friedrich Konrad Beilstein)

Buntrock, Robert E.; Palmer, Mary Ann  
Database, v13, n6, p19(16)  
Dec, 1990

ISSN: 0162-4105 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT  
WORD COUNT: 5702 LINE COUNT: 00460

... because it is very difficult, if not impossible, to run substructure searches for highly posted **fragments** in **large** , separate structure **files** or to **transfer large** numbers of structures to bibliographic **files** for further searching [81.] Compound records present the information in the order outlined above: identification...data occurrences shown in the FA display is the sum of actual data entries plus **reference** -only entries (for Short **File** information). Information may be printed in the same fashion as displayed.

Display - DIALOG

DIALOG display:...found on both systems (Figures 3-4). The first, BRN 741917, apparently only has Short **File** information (no data, just **references** ). The second, BRN 103618, is obviously the primary record, with both Handbook and Short File...

...data points, one for each of the two acid-base dissociation constants (the remainder are **references** only from the Short **File** information).

Note the difference in display format between the two systems.  
Display of the Electrochemical...

...a boiling point only 18 deg. higher than the melting point. The SP display shows **reference** only listings from the Short **File** , but sublimation point data is indicated by Note 6 on the melting point data. The...

19901200

22/K/18 (Item 7 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB  
(c)2005 The Gale Group. All rts. reserv.

04593847 SUPPLIER NUMBER: 08960543 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**The footsore searcher tours Online '89 exhibits: day two. (includes related information)**

Quint, Barbara

Database Searcher, v6, n2, p15(28)

Feb-March, 1990

ISSN: 0891-6713

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 20168

LINE COUNT: 01668

... related NLM files: Health Planning and Administration, Toxline, and Cancerlit. The IOD Biomedical Special List **Collection** will support the service. **Documents** will cost \$9 plus royalty charges for mail delivery with higher charges for express or...they see their major future competition as on-campus networks with fixed subscription pricing. Though **document delivery** and other **large** system network options are possible through larger laser discs, SilverPlatter upgrade plans revolve around a... journals carry author abstracts and fulltext from top publications. For professional medical literature, BRS' CCML **file** has the largest **collection** of fulltext sources. Most of the consumer summaries come from Reliance Medical, an information service...

...groups. Searchers will be able to highlight terms in text, pull up definitions from a **reference file** and/or other **references** from a bibliographic module.

The Computer Database ASAP has added ten European titles to increase ...sets (as long as they contain no ANDs or NOTs) to target the most complete **references** available. Frankly, this **file** is a real gem. Makes one yearn for the life of a farmer.

Aisle: Science...20,000 French francs (excluding tax) for three years (1987 to 1989). INIST also supplies **document delivery** for any **document** from its **collection** of 26,000 periodical titles, 30,000 scientific reports, 100,000 doctoral dissertations, or 40...IOD already had strong performance in this area, particularly with their unique sources for NTIS **documents**. They have a full depository **collection** in California for every NTIS record carrying a price code. The source allows IOD to...

...product; any non-U.S. document distributed by NTIS; individually designed selective research in microfilm **collections**; early NTIS A-series **documents** not already in IOD's NTIS **collection**; copies of Government Printing Office **documents** at list price; Federal Energy Regulatory Commission reports and filings; Federal Communications Commissions filings; Securities...

...trademark collection that went out of business and the staff has good connections with federal **document** sources.

IOD continues to expand special **collections** of material, rather than relying as much on library stringers as in the past. The...

19900200

22/K/19 (Item 1 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01689852 SUPPLIER NUMBER: 15399636 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Delivery and retrieval technology. (Seybold Special Report: Seybold Seminars Boston '94, Part II)**

Seybold Report on Publishing Systems, v23, n16, pS20(16)

May 10, 1994

ISSN: 0736-7260

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 16097

LINE COUNT: 01272

... design and advertising settings, where eliminating a day in the

correction cycle can make a **big** difference.

**Delivery /Retrieval of Individual Documents** , Work in Process  
Adobe gains ground, readies new release  
Last June Adobe shipped the first...

...based on Verity's Topic technology. Composer will be aimed at online or cd-rom **collections** of pdf **documents** ; it will search across **documents** , and provide a much richer set of searching capabilities (Boolean queries, proximity, case-sensitivity, etc...provide the means for plugging in alternative indexing and searching programs that could search across **documents** , a prerequisite for archiving or publishing **collections** on cd-rom or online media.

Font handling. By default, Envoy stores information about all...in the event of a conflict would an online conference be needed.

**Delivery, Retrieval of Document Collections or Libraries**  
CTMG becomes Active

Last year marked the rebirth of the Canadian Technology Marketing... both structured and unstructured retrieval. Structured retrieval, or context searches, provide great flexibility in retrieving **documents** or **fragments** . Not only can users query based on context, as alluded to above, but they can indicate which **fragments** of the **document** to include in the display, and then check out those fragments, even if they are...api) to oems or integrators willing to write client software.

DynaBase supports all valid sgml **documents** , all public and system **identifiers** , all ISO 8859 character sets and all sgml entity types except subdoc.

Revision management. DynaBase...

...much as it is library management; that is, managing the process of creating and updating **collections** of **documents** pressed as DynaText books. One of the underlying features of DynaBase is that it creates...

...So quickly, in fact, that the DynaText browser becomes an effective tool for viewing single **documents** passed around a network, not just large **collections** pressed onto cd-rom. When DynaText is the final delivery medium, reviewing work in process...binary format. (The regular viewer reads mif format.) Indexes are built for a set of **documents** , not incrementally, which means a **collection** must be re-indexed if a new **document** is added or one of the **documents** in the **collection** changes. This approach is well suited to cd-rom publishing or online libraries that can...

...incarnations, Guide Author (for interactive authoring) and Guide Professional Publisher (for automated building of electronic **collections** ) still rank near the top of electronic **document** preparation tools aimed at complex, structured information bases that are formatted for the screen rather...displays; and for handling delimiters, symbols and abbreviations. There is an accompanying module for linking **documents** to images from embedded cross- **references** that point to unique identifiers for each image. Monochrome images are stored in compressed Group...

19940510

22/K/20 (Item 2 from file: 275)  
DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01673889 SUPPLIER NUMBER: 15099673 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Bulletin boards.**

Computer Shopper, v14, n5, p617(29)

May, 1994

ISSN: 0886-0556

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 51357

LINE COUNT: 03916

... 01/93; no fee. No access fee. 4.5Gb online. 5Gb+ offline. 33,000 adult **files** . Free adult access with proper **ID** .

Elko 738-8877. After Shock BBS; sysop Paul Aicher. 1 line--486; 340Mb running WildCat...up to 2400 bps. Estab. 06/91; no fee. Specializes in message bases, onliners, and **file transfers** . **Large** OS/2 2.x **file** section.

East Windsor 490-0678. Wizard's Realm II; sysop Mike Edwards/Sauron. 1 line...to 14400 bps. Estab. 06/87; \$15 annual. MetroLink regional hub, source for THEREF drive- **reference files** . Optional fees of \$15 to \$50 per year.

Cape Vincent 654-3253. The Hillbilly's...6.6 with Supra at up to 14400 bps. Estab. 05/93; no fee. Music/ **movie** /model **file** -based board, new Cindy Crawford **collection** .

Charlotte 563-5480. Private Investigators Exchange BBS; sysop Ken Kennedy. 1 line--8088; 80Mb running...2 with Supra at up to 14400 bps. Estab. 12/92; \$20 annual. Excellent shareware **collection** . Adult dating, registry, and **files** . Online games. Local PC user groups.

Aloha 591-7542. A Byte Of Aloha; sysop Michael...Smartlink at up to 19200 bps. Estab. 02/93; no fee. Fun BBS with 1500+ **files** online. Shareware, PD, and a huge **collection** of adult.

Houston 640-1298. MacEndeavour; sysop Brian Hall. 3 lines--486; 1500Mb running TBBS...90 with ViVa 9642e at up to 19200 bps. Estab. 01/94; no fee. Huge **collection** of **files** , hundreds of messages. FidoNet 1:130/407, Internet access available. Doors.

Ft. Worth 922-0067...11 with Intel at up to 38400 bps. Estab. 03/91; no fee. The largest **document collection** on indigenous peoples anywhere. Native American info and resources.

Olympia 956-1123. Capital City On...U.S. Robotics at up to 14400 bps. Estab. 10/93; no fee. CD-ROM **collection** , doors, chat, adult conferences, and **files** .

Milwaukee 281-7400. Madame's Play House; sysop TJ--Madame Sysop. 6 lines--486; 900Mb...

**19940500**

**22/K/21 (Item 3 from file: 275)**

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

01608910 SUPPLIER NUMBER: 14020637 (USE FORMAT 7 OR 9 FOR FULL TEXT)

**Round 5 for LANTastic. (Artisoft's LANTastic 5.0) (Evaluation)**

Person, Don

LAN Magazine, v8, n8, p158(10)

August, 1993

DOCUMENT TYPE: Evaluation

ISSN: 0898-0012

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 5726

LINE COUNT: 00433

... 11MHz, instead of the standard 8MHz) equipped with Artisoft NodeRunner 2000 network adapters, my peak **large - file transfer** rate

hit 220KBps. And that's with a 7MB LANeache and a 16 millisecond track... you were limited to 64 characters. Printer-resource control has been upgraded to let you **reference** a printer-setup **file**. LANtastic will then send the contents of that file as the printer-setup string. Since a **file** can be any size, this setup effectively **breaks** the old 64-character barrier. "Cleanup" **files** can be sent after the print job, so the printer can be restored to a...

19930800

22/K/22 (Item 4 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01548196 SUPPLIER NUMBER: 13217652 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Electronic delivery: matching technology to requirements. (the Seybold San Francisco '92 conference discusses electronic document delivery) (Cover Story)**

Walter, Mark

Seybold Report on Desktop Publishing, v7, n4, p3(22)

Dec 1, 1992

DOCUMENT TYPE: Cover Story ISSN: 0889-9762 LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT

WORD COUNT: 18115 LINE COUNT: 01443

... narrative can make the story much easier to follow, especially for someone just discovering a **large document**. Thus, we are seeing hyperlinking technology embedded into all electronic **delivery** technology across the board, giving us three dimensions with which to describe our information.

One...obvious: electronic media are proving superior to paper for retrieving specific information from large documents, **or** a collection of documents. **The** current trend in this market is the conversion of documents from composition systems into generically...unlike newspapers, which are waiting for technology to meet their requirements, corporate publishers create reference **documents** that lend themselves to current technology. A third, important factor is that several of the publishing... to someone else in a collaborative project. Second are those who need to deliver document **collections** to users who in turn republish the information.

Today, most organizations try to establish a common...

19921201

22/K/23 (Item 5 from file: 275)

DIALOG(R) File 275:Gale Group Computer DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

01293871 SUPPLIER NUMBER: 07178042 (USE FORMAT 7 OR 9 FOR FULL TEXT)  
**Uniting file systems; experimental large-scale, distributed file systems are now being created. (includes related article on the history of the AFS Project)**

Spector, Alfred Z.; Kazar, Michael L.

UNIX Review, v7, n3, p61(10)

March, 1989

ISSN: 0742-3136

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 5691 LINE COUNT: 00449

... that data is protected against unwanted access.

\* Cell autonomy. the administrator of a cell--a **collection** of **file** servers and clients typically serving one organization, and typically in one geographic location--needs to have autonomy in issuing user-**identifiers**, allocating **file** servers, maintaining quotas, and choosing system configurations.

\* Coexistence with other file systems. A wide-area...

...of these. Caching files, directories, and their storage locations reduces the need for clients to **transfer** data over the network or to make requests to **file** servers. If clients use **large** local caches (on disk or in RAM), they can access the files they need without...

...file servers.

Directory services can be used to map file or directory names to particular **file** servers. Because of locality-of- **reference** properties, directory information should be cached.

Access-control lists attached to directories (and sometimes to...MB), several thousand of which are loaded into a server machine. A volume comprises a **collection** of **files** and directories, each indexed by a 96-bit **file identifier** (fid), and forms a connected "subtree" of AFS. The individual volumes in the system are...has changed--which must be performed before the contents or status information associated with a **file** has been changed--is called "**breaking**" a call-back.

Note that when a workstation has a call-back outstanding on a...

...their implementation can be tricky. Problems arise in two areas: synchronization of calls to the **file** server with call-back **breaking** messages from the same **file** server, and communications failure while **breaking** a call-back promise. (See for a more detailed discussion of these issues.)

Communication. AFS...

...pass unbounded amounts of data in a remote procedure call. AFS uses this mechanism when **transferring large** chunks of **files** (64 KB, for example) between the cache manager and the file server.

Finally, Rx was...much bandwidth a wide-area file system will consume. Certainly, we expect strong locality of **reference** for **files** stored within a cell. Additionally, we expect that caching techniques, such as those used in...

19890300

22/K/24 (Item 1 from file: 636)

DIALOG(R) File 636:Gale Group Newsletter DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

03533041 Supplier Number: 47299420 (USE FORMAT 7 FOR FULLTEXT)

**INFORMATION DIMENSIONS: ID & Inso Corp deliver document management's smartest searcher**

M2 Presswire, pN/A

April 15, 1997

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 851



**INFORMATION DIMENSIONS: ID & Inso Corp deliver document management's smartest searcher**

... industry add-on architecture will provide BASIS users with more relevant search results than "flat- file " engines when searching huge complex **document collections** in any language. Such precision gives users more time to draw information from the documents...

...of Inso Boston. "Information Dimensions' integration of IntelliScope will enable BASIS customers to search large **document collections** quickly, and in multiple languages, with improved results."

BASIS, whose recognized strength is handling behemoth **document collections** that demand high levels of security, is also establishing a track record for intelligence. "With...

...enabled document management software. For more than ten years, its BASIS family of products has **delivered large** -scale **document** management solutions to world-class, document-centric organizations such as 3M, Boeing, Shell, SAAB, the...

...deployment document management solution for the Internet/intranet market, enabling companies to share large-scale **document collections** on the World Wide Web. Based in Dublin, Ohio, Information Dimensions, Inc., is a wholly...

19970415

22/K/25 (Item 2 from file: 636)

DIALOG(R) File 636:Gale Group Newsletter DB(TM)

(c) 2005 The Gale Group. All rts. reserv.

03413506 Supplier Number: 47026596 (USE FORMAT 7 FOR FULLTEXT)

**INFORMATION DIMENSIONS: Information Dimensions "BASIS V8" turbo charges document management engine**

M2 Presswire, pN/A

Jan 10, 1997

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 1305

... V8), Information Dimensions becomes the first company to introduce Very Large Database (VLDB) support to **document** management. This feature lets companies manage high-performing **collections** containing terabytes of **documents** , even over the World Wide Web. BASIS V8's new searching power finds information in...

...document- management system even faster.

With VLDB support, companies can now split indexes over multiple **files** to connect thousands of users to **collections** containing millions of **documents** . Also with BASIS V8, users can interact with up to 100 databases simultaneously, whether centrally...

...to BASIS Intranet Solution, the industry's fastest and most popular way to deploy huge **document collections** over the Web.

Support for super-large index **files** , combined with the BASIS single-step method of answering document queries, means users can search and update the largest **document collections** with ultra-fast performance. Other **document** management systems bog down their applications by joining different vendors' databases and retrieval products, requiring...

...WEBserver Gateway. The developments are timely as more companies seek to deploy their growing complex **document collections** on the intranet.

"The greatest challenge faced by organisations today is how to process, manage...

...that."

The Institut National de l'Audiovisuel in France has deployed BASIS for all its **collections** ' databases as the standard **documents reference** repository. "As we manage the audio and video archives of the nation, we strongly need...

...Management System is a multi-tiered, client-server environment for managing and distributing business-critical **document collections** . At the heart of the BASIS system is a full-featured, fully integrated document database engine that brings security, reliability, performance and scalability to the management of massive **document collections** .

To complement the **document** database engine, a rich and full-featured set of client environments provides Windows desktop user...

...all enterprise users across the Internet/intranet.

Customers can quickly and easily deploy massive complex **document collections** with the Corporate Information Centre (CIC). With this prototyping tool, customers can simply load their...600 sites installed worldwide. For more than ten years, its BASIS family of products has **delivered large** -scale **document** management solutions to world-class organisations such as 3M, Boeing, Shell, SAAB, the Pentagon and...

...deployment document management solution for the Internet/intranet market, enabling companies to share large-scale **document collections** on the World Wide Web. Based in Dublin, Ohio, Information Dimensions, Inc. is a wholly...

19970110

22/K/26 (Item 3 from file: 636)

DIALOG(R) File 636:Gale Group Newsletter DB(TM)  
(c) 2005 The Gale Group. All rts. reserv.

03319495 Supplier Number: 46822367 (USE FORMAT 7 FOR FULLTEXT)

**INFORMATION DIMENSIONS: ID brings web-based document management to Netscape's AppFoundry Portfolio**

M2 Presswire, pN/A

Oct 23, 1996

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 559

**INFORMATION DIMENSIONS: ID brings web-based document management to Netscape's AppFoundry Portfolio**

... from Information Dimensions will also moderate a newsgroup offering free, expert advice on managing massive **collections** of **documents** over Intranets.

Developers will find hotlinks to Information

Dimensions' demonstrations at the AppFoundry section of...

...development expertise."

"Information Dimensions and Netscape are cooperating to manage some of

the most massive **document collections** in the world over the Web inside and outside of corporate firewalls," said Bruce Duff...  
...software provider\*, with over 2,200 sites installed worldwide. Its BASIS family of products has **delivered large -scale document** management solutions to world-class organisations such as 3M, Boeing, Shell, Saab, the Pentagon and...

...deployment document management solution for the Internet/intranet market, enabling companies to share large-scale **document collections** on the World Wide Web. Based in Dublin, Ohio, Information Dimensions, Inc. is a wholly...

19961023